



TRANSPORTATION CLOSURE FORM

(Streets, Sidewalks, Bike Paths & Bike Parking)

Date Submitted: June 13, 20204

Street(s), Sidewalks, Bike Path or Parking to be Closed: Part of the sidewalk located on the east side of S. Wright St., north of Green St., and adjacent to the northwest entrance of Everitt Laboratory.

Intersecting Streets which are affected or define limits of closure: Not Applicable.

Reason for Closure: Loading zone for large equipment.

Project On-Site Contact Person: Aaron Wilken,
U of I Project Manager (PM): Sandra Roesler

Phone Number: awilken@illinois.edu, 217-390-0585
U of I PM Phone Number: sroesler@illinois.edu, 217-333-5361

Date of Closure: 6/17/2024

Expected Time of Closure: 8:00 AM

Date of Re-opening: 11/22/2024

Expected Time of Re-opening: 5:00 PM

Work Order No. (if used): Not Applicable

CDB Contract No.: Not Applicable

Is Traffic re-routing necessary? No

If so, who should be involved? Not Applicable

Will Pedestrian/bicycle traffic be affected? Yes

If so, will the sidewalk be closed? Yes

Will ADA audible/visual warnings and barriers be provided? Yes

Will pedestrian traffic be routed safely? Yes

Are additional safety precautions needed? No

Please provide a diagram noting signage, re-routing, safety features, etc. with related explanations. **Diagram required.**

Yes No
☒ ☐

Is barricading required? If so, indicate the barricade locations on the diagram. You must contact the F&S Service Office to submit a barricade service request

☐ ☒

Will Facility & Services staff place the barricades?
If the barricades will be placed by others, give the name of person responsible and the telephone number: [Click or tap here to enter text.](#)

☐ ☒

Will police be necessary to direct the traffic? If so, name jurisdiction times, dates and location of each officer needed: [Click or tap here to enter text.](#)

☐ ☒

Will this street closure affect University of Illinois parking meters on the street or in the parking lots in this area? If so, you **MUST** contact the Parking Department at 333-3530 as there may be a fee assessed.

☐ ☒


Will MTD, DRES or other bus route re-locations be necessary? If so, coordinate with affected agency. Record name and date of discussion with agency representative: [Click or tap here to enter text.](#)

☒ ☐

Will deliveries be permitted? **If so, how will access be controlled?** Contractor will only close the sidewalk as needed to for loading zone. Site deliveries will be coordinated with the site contact. Sidewalk barriers will be removed when the sidewalk is not impacted by construction activities.

Date approved: 6/13/2024 to enter a date. Approved By: Sarthak Prasad on behalf of Stacey DeLorenzo

Transportation Systems Manager (TSM): Stacey DeLorenzo · Phone: (217) 300-1750 · fandscampustdm@illinois.edu



Sidewalk Closed Ahead

ADA Alternate Route
Include Arrow to
Show Direction

ADA Alternate Route
Include Arrow to
Show Direction

Sidewalk Closed
Ahead

Chain Link fence to
enclose
dumpster/loading
area.

Loading Zone

Pick area to 2nd floor
windows with Boom
lifts from delivery
trucks

Barricade

Boneyard Creek

Boneyard Creek

ALL SIGNS AND BARRICADES
WILL BE IN PLACE AT TIME OF
DELIVERIES. ALL SIGNS AND
BARRICADES WILL BE TAKEN
DOWN AFTER ALL
DEKIVERIES.

Everitt Laboratory

Department of
Bioengineering

Dumpster

Barricade

Sidewalk to
be closed
during picks
only

Sidewalk Closed Use
Alternate Route
To Access ADA
Entrance Use Path
Behind Boneyard
Creek

Sidewalk Closed Use
Alternate Route
To Access ADA
Entrance. This sign
will be at the corner of
Green/Wright.

Google