



TRANSPORTATION CLOSURE FORM (Streets, Sidewalks, Bike Paths & Bike Parking)

Date Submitted: 5/12/2025

Street(s), Sidewalks, Bike Path or Parking to be Closed: Burrill Hall East Parking Space as indicated on google maps pick plan. Adjacent sidewalk and bike parking between Burrill and church.

Intersecting Streets which are affected or define limits of closure: Goodwin Ave. to be unaffected.

Reason for Closure: Crane pick to get roof curbs up to roof.

Project On-Site Contact Person: Bryan Carper
U of I Project Manager (PM): Tarun Kumar

Phone Number: 224-213-9217
U of I PM Phone Number: 213-844-1165

Date of Closure: 5/20/2025

Expected Time of Closure: 6:00 AM

Date of Re-opening: 5/20/2025

Expected Time of Re-opening: 7:00 AM

Work Order No. (if used): N/A

CDB Contract No.: Click or tap here to enter text.

Is Traffic re-routing necessary? No

If so, who should be involved? Click or tap here to enter text.

Will Pedestrian/bicycle traffic be affected? Yes

If so, will the sidewalk be closed? Yes

Will ADA audible/visual warnings and barriers be provided? No

Will pedestrian traffic be routed safely? Yes

Are additional safety precautions needed? Yes

Please provide a diagram noting signage, re-routing, safety features, etc. with related explanations. **Diagram required.**

- | Yes | No | |
|--------------------------|-------------------------------------|---|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Is barricading required? If so, indicate the barricade locations on the diagram. You must contact the F&S Service Office to submit a barricade service request |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will Facility & Services staff place the barricades?
If the barricades will be placed by others, give the name of person responsible and the telephone number: Click or tap here to enter text. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will police be necessary to direct the traffic? If so, name jurisdiction times, dates and location of each officer needed: Click or tap here to enter text. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will this street closure affect University of Illinois parking meters on the street or in the parking lots in this area?
If so, you MUST contact the Parking Department at 333-3530 as there may be a fee assessed. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will MTD, DRES or other bus route re-locations be necessary? If so, coordinate with affected agency.
Record name and date of discussion with agency representative: Click or tap here to enter text. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will deliveries be permitted? If so, how will access be controlled? Click or tap here to enter text. |

5/16/2025

Sarthak Prasad on behalf of Stacey DeLorenzo

Date approved: Click or tap to enter a date. Approved By: Click or tap here to enter text.

Transportation Systems Manager (TSM): Stacey DeLorenzo · Phone: (217) 300-1750 · fandscampustdm@illinois.edu

Crane Location

Pickup truck with trailer with curbs.

Swing radius indicated by dashed lines. Boom Swing Radius - 55'. Max curb weight (EF's) - 285 lbs. AHU curbs are broke down in pieces. Max weight - 200 lbs. if bundled together and flown up at once.

Barrier with "sidewalk closed" sign

Sidewalk open

Sidewalk closure ahead signage

Lay down area on roof for curbs

No exit sign

Danger perimeter tape around pick area

Entire area to be taped off. Crane pick scheduled for 6-7AM to minimize traffic, students, and employees in the building (Date TBD). Northeast wing of Burrill Hall to be notified and vacant for crane pick. In addition to tape, barricades, and signs, BEC will provide flagger to redirect students/traffic.

No parking in this area. No bike parking. No sidewalk in use between Burrill Hall and church parking lot. No use in this area from 6-7AM.

S Goodwin Ave

S Goodwin Ave

S Goodwin Ave

School of Nursing

Burrill Hall

Department of Molecular and...

Level 1

55.28 ft

D6

P

P

W III